




SP & SP/IR SERIES

SEMI-AUTOMATIC SKIN PACKAGING MACHINES



SP Series

24" x 48" and larger with optional casters and film temperature sensor



SP/IR Series



SP Series

24" x 36" and smaller with optional casters and film temperature sensor

Starview Packaging Machinery, Inc.

Toll free: 1-888-278-5555 / www.starview.net

EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom size machines available to match customer requirements.
- The only pendant mounted color touch screen HMI in the industry for the ultimate in operator convenience and accessibility.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to process information from the machine.
- Fully adjustable vacuum motor speed and oven power using an on-screen touch bar graph to provide precise film temperature and vacuum control.
- Machine operating recipe storage including all timer and bar graph settings with memory for up to 99 different recipes for operator recall of proven set-ups for complex products.
- Industry leading design, construction, features and customer support.

DESCRIPTION:

Starview's SP Series skin packaging machines are designed for low to medium volume applications. They incorporate a stationary heating system with instant on/off heaters, which come up to heat during cycles and turn off for loading/unloading.

The SP skin packaging machines have PLC timer control for precision repeatability and an accurate turbine regulator. A manual in-feed table, out-feed table and impulse type hot wire film cut-off are standard. These machines are a sturdy welded steel construction with removable panels for servicing.

The SP Series is available in the standard sizes beginning with 18 inches by 24 inches and also custom sizes. For machines with additional automation please consider our ASP Series.



SPECIFICATIONS:

SP-1824

Max card size:	18" x 24"	24" x 30"	24" x 36"
Max product height:	10"	10"	10"
Heating system:	Quartz impulse	Quartz impulse	Quartz impulse
Operator Light Curtain:	Optional	Optional	Optional
Average cycle speed:	15-60 seconds	15-60 seconds	15-60 seconds
Electrical:	208-240 Volts / 3 PH / 32 Amps	208-240 Volts / 3 PH / 55 Amps	208-240 Volts / 3 PH / 70 Amps

SP-2430

SP-2436

SP-2448

SP-3036

Max card size:	24" x 48"	30" x 36"
Max product height:	10"	10"
Heating system:	Quartz impulse	Quartz impulse
Operator Light Curtain:	Standard	Standard
Average cycle speed:	15-60 seconds	15-60 seconds
Electrical:	208-240 Volts / 3 PH / 100 Amps	208-240 Volts / 3 PH / 80 Amps

SP-3048

SP-3648

Max card size:	30" x 48"	36" x 48"
Max product height:	10"	10"
Heating system:	Quartz impulse	Quartz impulse
Operator Light Curtain:	Standard	Standard
Average cycle speed:	15-60 seconds	15-60 seconds
Electrical:	208-240 Volts / 3 PH / 90 Amps	208-240 Volts / 3 PH / 100 Amps



SPECIFICATIONS:

SP/IR-1824

Max card size:	18" x 24"	24" x 30"
Max product height:	10"	10"
Heating system:	Radiant panel	Radiant panel
Operator Light Curtain:	Standard	Standard
Average cycle speed:	15-45 seconds	15-45 seconds
Electrical:	208-230 Volts / 3 PH / 50 Amps	208-230 Volts / 3 PH / 55 Amps

SP/IR-2430

SP/IR-2436

Max card size:	24" x 36"	30" x 36"
Max product height:	10"	10"
Heating system:	Radiant panel	Radiant panel
Operator Light Curtain:	Standard	Standard
Average cycle speed:	15-45 seconds	15-45 seconds
Electrical:	208-230 Volts / 3 PH / 70 Amps	208-230 Volts / 3 PH / 80 Amps

SP/IR-3036

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about these products on



Starview Packaging Machinery, Inc.

Leading the industry

With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming
Customized Packaging Equipment · Systems with Automation & Integration

1840 St. Regis Blvd.
Dorval, Quebec H9P 1H6
Tel: 514-920-0100
Fax: 514-920-0092
Toll Free: 888-278-5555
www.starview.net
sales@starview.net